



GEORGIA

DEPARTMENT OF NATURAL RESOURCES

ENVIRONMENTAL PROTECTION DIVISION

DEC 22 2023

Jeffrey W. Cown, Director

Watershed Protection Branch

2 Martin Luther King, Jr. Drive
Suite 1470A, East Tower
Atlanta, Georgia 30334
404-463-1511

Mr. Howard Varner, Laboratory Director
Environmental Hazards Services, LLC
7469 Whitepine Road
Richmond, VA 23237

RE: Certification by Reciprocity
Environmental Hazards Services, LLC
Georgia ID #C 038

Dear Mr. Varner:

The Georgia Department of Natural Resources, Environmental Protection Division (EPD), is in receipt of all required data necessary to fulfill your laboratory's request for Certification by Reciprocity for the analysis of the analytes on the attached certificate. Therefore, in accordance with the Georgia Safe Drinking Water Act of 1977 (Sections 12-5-170 through 12-5-193, O.C.G.A.) and the Rules for Safe Drinking Water (Chapter 391-3-5), this certification is valid until December 14, 2024. This certificate is contingent upon continued Certification by the Commonwealth of Virginia and is non-transferable. This certificate is also contingent upon continued acceptable semi-annual Proficiency Testing results.

If Environmental Hazards Services, LLC's certification status is downgraded for any analyte/method by your Primary Accrediting Agency, the GA Certification Program must be notified. Any downgrade will result in the withdrawal of reciprocity for that analyte.

Prior to the expiration of this certification, please contact your accrediting/certifying authority and request that the following information be forwarded to Griffin Hughes at griffin.hughes@dnr.ga.gov.

1. Copies of the most current on-site and accepted corrective actions
2. Copies of the scope of accreditation listing analytes

If you have any questions, please feel free to contact Griffin Hughes at 470-524-7499.

Thank you,

Griffin Hughes
Laboratory Certification Officer
Drinking Water Compliance Unit

Sean Earley
Program Manager
Drinking Water Compliance Unit

Environmental Hazards Services, LLC (GA Lab ID C038)

7469 Whitepine Road, Richmond, VA 23237

Effective December 15, 2023 - December 14, 2024

ANALYTE	CERTIFIED/ ACCREDITED BY	EPA APPROVED METHOD
Arsenic	Commonwealth of Virginia	200.8
Copper	Commonwealth of Virginia	200.8
Lead	Commonwealth of Virginia	200.8
Manganese	Commonwealth of Virginia	200.8