March 5, 2026

Julie Dickerson
Environmental Hazards Services, LLC.
7469 Whitepine Road
Noth Chesterfield, VA 23237

RE: Current Maryland Water Quality Certificate
Environmental Hazards Services (MD Lab ID #354)

Dear Laboratory Director:

Enclosed please find the current Certificate for drinking water laboratory certification in the State of Maryland. Also enclosed, the Parameter List outlines each method the lab is certified to analyze for compliance purposes under the Safe Drinking Water Act (SDWA). The certificate and fees are renewable annually.

If you have any changes in methods, personnel, major equipment, ownership, name change, or location, during the year, you are required to advise this office within 30 days.

If you have any questions, please feel free to contact me at taj.goodlow@maryland.gov or 410-537-3712.

Sincerely,

Taj Goodlow
Laboratory Certification Program Manager
Water Supply Program – WSA

Enclosure:
- *MD Laboratory Certificate for Drinking Water*
- *MD Annual Certified Parameter List*

MARYLAND

DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

Environmental Hazards Services, LLC

7469 Whitepine Road, North Chesterfield, VA 23237

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

to perform the analyses indicated on the Annual Certified Parameter List, which must accompany this certificate.

MD Lab ID # 354

Date Issued March 5, 2026

Expiration Date March 31, 2027
(Not Transferable)

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST. MDE02242

SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: March 5, 2026

Expiration Date: March 31, 2027

Environmental Hazards Services, LLC
7469 Whitepine Road
North Chesterfield, VA 23237

Julie Dickerson
MD Lab ID: 354
EPA Lab ID: VA01122

ANALYTE	METHOD	STATUS
Arsenic	EPA 200.8, Rev. 5.4	Certified
Copper	EPA 200.8, Rev. 5.4	Certified
Lead	EPA 200.8, Rev. 5.4	Certified